


- ❑ ONE RANGE : 7 STATIONS
- ❑ SAME STATION RANGE FOR ALL Alcatel 4XXX BUSINESS COMMUNICATION SYSTEMS
- ❑ CONNECTION : 1 PAIR ONLY
- ❑ DISTANCE : 1200 M

AUDIO	
Loudspeaker	X
On-hook dialling	X
Hands free	No
VISUAL	
LED	3
Display	No
KEYS	
Soft keys	No
Programmable keys	3
Icons (1)	No
ALPHA K.B.	
Integrated	No
External	No
ADD-ON MODULE	
20 or 40 or 20 +40	No
DATA SUBDEVICE	
V24 ASY + PC link or	No
S0 + PC link or ab (Z)	No
WALL MOUNTED	OPTION




(1) : Call status presentation

AUDIO	
Loudspeaker	X
On-hook dialling	X
Hands free	No
VISUAL	
LED	1
Display	1 X 20
KEYS	
Soft keys	14
Programmable keys	14
Icons (1)	
ALPHA K.B.	
Integrated	No
External	No
ADD-ON MODULE	
20 or 40 or 20 + 40	No
DATA SUBDEVICE	
V24 ASY + PC link or	No
S0 + PC link or	No
ab (Z)	No




(1) : Call status presentation

AUDIO	
Loudspeaker	X
On-hook dialling	X
Hands free	X
VISUAL	
LED	1
Display	1 X 20
KEYS	
Soft keys	
Programmable keys	20
Icons (1)	20
ALPHA K.B.	
Integrated	No
External	No
ADD-ON MODULE	
20 or 40 or 20 + 40	Option
DATA SUBDEVICE	
V24 ASY + PC link or	Option
S0 + PC link or	Option
ab (Z)	No




(1) : Call status presentation

AUDIO	
Loudspeaker	X
On-hook dialling	X
Hands free	X
VISUAL	
LED	1
Display	2 X 20
KEYS	
Soft keys	3
Programmable keys	28
Icons (1)	28
ALPHA K.B.	
Integrated	X
External	Option
ADD-ON MODULE	
20 or 40 or 20 + 40	Option
DATA SUBDEVICE	
V24 ASY + PC link or	No
S0 + PC link or	No
ab (Z)	No




(1) : Call status presentation

AUDIO	
Loudspeaker	X
On-hook dialling	X
Hands free	X
VISUAL	
LED	1
Display	2 X 40
KEYS	
Soft keys	2 X 5
Programmable keys	28
Icons (1)	28
ALPHA K.B.	
Integrated	X
External	Option
ADD-ON MODULE	
20 or 40 or 20 + 40	Option
DATA SUBDEVICE	
V24 ASY + PC link or	Option
S0 + PC link or	Option
ab (Z)	No




(1) : Call status presentation

AUDIO	
Loudspeaker	X
On-hook dialling	X
Hands free	X
VISUAL	
LED	1
Display	320 X 240
KEYS	
Soft keys	2 X 6
Programmable keys	6
Icons (1)	No
ALPHA K.B.	
Integrated	X
External	Option
ADD-ON MODULE	
20 or 40 or 20 + 40	Option
DATA SUBDEVICE	
V24 ASY + PC link or	Option
S0 + PC link or	Option
ab (Z)	No




(1) : Call status presentation

AOM 20




AOM 40




	4001	4011	4012	4023	4034
AUDIO Loudspeaker On-hook dialling Hands free	X X X	X X	X X X	X X X	X X X
VISUAL LED Display	3	1 1 X 20	1 1 X 20	1 2 X 20	1 2 X 40
KEYS Soft keys Programmable keys Icons (1)	3	14 14	20 20	3 28 28	2 X 5 28 28
ALPHA K.B. Integrated External				X OPTION	X OPTION
ADD-ON MODULE 20 or 40 or 20 + 40			OPTION	OPTION	OPTION
DATA SUBDEVICE V24 ASY + PC link or S0 + PC link ab (Z)			OPTION OPTION		OPTION OPTION
WALL MOUNTED	OPTION				


4001




4011




4012



4023



4034



4040

