


AUDIO	
Loudspeaker	X
On-hook dialling	X
Hands free	No
VISUAL	
LED	3
Display	No
KEYS	
Soft keys	No
Programmable keys	3
Icons (1)	No
ALPHA K.B.	
Integrated	No
External	No
ADD-ON MODULE	
20 or 40 or 20 +40	No
DATA SUBDEVICE	
V24 ASY + PC link or	No
S0 + PC link or ab (Z)	No
WALL MOUNTED	OPTION




(1) : Call status presentation

TELECOM

DIGITAL REFLEX STATION : UA 4011 SET

AUDIO	
Loudspeaker	X
On-hook dialling	X
Hands free	No
VISUAL	
LED	1
Display	1 X 20
KEYS	
Soft keys	
Programmable keys	14
Icons (1)	14
ALPHA K.B.	
Integrated	No
External	No
ADD-ON MODULE	
20 or 40 or 20 + 40	No
DATA SUBDEVICE	
V24 ASY + PC link or	No
S0 + PC link or	No
ab (Z)	No




(1) : Call status presentation

TELECOM

DIGITAL REFLEX STATION : 4012 SET

AUDIO	
Loudspeaker	X
On-hook dialling	X
Hands free	X
VISUAL	
LED	1
Display	1 X 20
KEYS	
Soft keys	20
Programmable keys	20
Icons (1)	
ALPHA K.B.	
Integrated	No
External	No
ADD-ON MODULE	
20 or 40 or 20 + 40	Option
DATA SUBDEVICE	
V24 ASY + PC link or	Option
S0 + PC link or	Option
ab (Z)	No


(1) : Call status presentation



TELECOM

DIGITAL REFLEX STATION : 4023 SET

AUDIO	
Loudspeaker	X
On-hook dialling	X
Hands free	X
VISUAL	
LED	1
Display	2 X 20
KEYS	
Soft keys	3
Programmable keys	28
Icons (1)	28
ALPHA K.B.	
Integrated	X
External	Option
ADD-ON MODULE	
20 or 40 or 20 + 40	Option
DATA SUBDEVICE	
V24 ASY + PC link or	No
S0 + PC link or	No
ab (Z)	No




(1) : Call status presentation

TELECOM

DIGITAL REFLEX STATION : 4034 SET

AUDIO	
Loudspeaker	X
On-hook dialling	X
Hands free	X
VISUAL	
LED	1
Display	2 X 40
KEYS	
Soft keys	2 X 5
Programmable keys	28
Icons (1)	28
ALPHA K.B.	
Integrated	X
External	Option
ADD-ON MODULE	
20 or 40 or 20 + 40	Option
DATA SUBDEVICE	
V24 ASY + PC link or	Option
S0 + PC link or	Option
ab (Z)	No




(1) : Call status presentation

TELECOM

DIGITAL REFLEX STATION : 4040 SET

AUDIO	
Loudspeaker	X
On-hook dialling	X
Hands free	X
VISUAL	
LED	1
Display	320 X 240
KEYS	
Soft keys	2 X 6
Programmable keys	6
Icons (1)	No
ALPHA K.B.	
Integrated	X
External	Option
ADD-ON MODULE	
20 or 40 or 20 + 40	Option
DATA SUBDEVICE	
V24 ASY + PC link or	Option
S0 + PC link or	Option
ab (Z)	No




(1) : Call status presentation



TELECOM

DIGITAL REFLEX STATION : ADD - ON MODULES

AOM 20



AOM 40

